

Supplementary Material

A convergent microwave assisted synthesis of 4-amino-*N*-(4-oxo-2-substituted-4*H*-quinazolin-3-yl)benzenesulfonamide derivatives

**Chandresh L. Jagani,^a Natvar A. Sojitra,^a Satish F. Vanparia,^a Tarosh S. Patel,^a
Ritu B. Dixit,^b and Bharat C. Dixit^{*a}**

^a*V. P. & R. P. T. P. Science College, Affiliated to Sardar Patel University,
Vallabh Vidyanagar – 388120, Gujarat, India*

^b*Ashok & Rita Patel Institute of Integrated Studies and Research in Biotechnology
and Allied Sciences, New Vallabh Vidyanagar – 388121, Gujarat, India*

E-mail: dixits20002003@yahoo.co.in




Figure 1. ¹H NMR spectrum of 1a




Figure 2. ^{13}C NMR spectrum of 1a.





Figure 3. Mass spectrum (ESI) of 1a.

Figure 4. ¹H NMR spectrum of 1m.




Figure 5. ¹³C NMR spectrum of 1m.




Figure 6. Mass spectrum of 1m.




Figure 7. Mass spectrum of 1b.




Figure 8. Mass spectrum of 1c.




Figure 9. Mass spectrum of 1f.




Figure 10. Mass spectrum of 1h.




Figure 11. Mass spectrum of 1y.