

Supplementary Material

Facile access to 2-aryl-3-nitro-2*H*-chromenes and 2,3,4-trisubstituted chromanes

Ping-An Wang,^{*a} Dong-Xu Zhang,^a and Xue-Ying Liu^a

^a*Department of Medicinal Chemistry, School of Pharmacy, Fourth Military Medical University, Changle Xilu 169, Xi'an 710032, P. R. China*

E-mail: ping_an1718@outlook.com

Table of Contents

X-ray crystal data of 3i	S2
X-ray crystal data of 4f	S4
¹ H NMR of 3a	S5
¹ H NMR of 3b	S6
¹ H NMR of 3c	S7
¹ H NMR of 3d	S8
¹ H NMR of 3e	S9
¹ H NMR of 3f	S10
¹ H NMR of 3g	S11
¹ H NMR of 3h	S12
¹ H NMR of 3i	S13
¹ H NMR of 4a	S14
¹³ C NMR of 4a	S15
¹ H NMR of 4b	S16
¹³ C NMR of 4b	S17
¹ H NMR of 4c	S18
¹³ C NMR of 4c	S19
¹ H NMR of 4d	S20
¹³ C NMR of 4d	S21
¹ H NMR of 4e	S22
¹³ C NMR of 4e	S23
¹ H NMR of 4f	S24
¹³ C NMR of 4f	S25
¹ H NMR of 4g	S26
¹³ C NMR of 4g	S27
¹ H NMR of 5a	S28
¹³ C NMR of 5a	S29

X-ray Crystal Structure Data for Compounds 3i and 4f

1. X-ray crystallographic data for compound 3i

Crystals of compound **3i** suitable for X-ray analysis were obtained by slow evaporation from the solvent of CH₂Cl₂. Crystallographic data have been deposited with the Cambridge Crystallographic Data Centre (CCDC# 920109). Copies of the data can be obtained free of charge on application to the CCDC, 12 Union Road, Cambridge CB21EZ, UK (fax: (+44)-1223-336-033; e-mail: deposit@ccdc.cam.ac.uk).




Table S1-1. Crystal data and structure refinement for compound **3i**

Identification code	compound 3i
Empirical formula	C ₁₅ H ₉ Cl ₂ N O ₃
Formula weight	322.13
Temperature	296(2) K
Wavelength	0.71073 Å
Crystal system	Monoclinic
Space group	P2(1)/c
Unit cell dimensions	a = 9.0327(12) Å α = 90°. B = 9.3313(13) Å β = 93.644(2)°. C = 16.806(2) Å γ = 90°.
Volume	1413.7(3) Å ³
Z	4
Calculated density	1.514 Mg/m ³
Absorption coefficient	0.467 mm ⁻¹
F(000)	656
Crystal size	0.37 x 0.28 x 0.16 mm
Theta range for data collection	3.14 to 25.73°
Limiting indices	-6 ≤ h ≤ 11, -11 ≤ k ≤ 11, -20 ≤ l ≤ 19

Reflections collected	7237
Independent reflections	2685 [R(int) = 0.0226]
Completeness to theta = 25.73	99.8 %
Absorption correction	constr
Max. and min. transmission	0.9307 and 0.8465
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	2685 / 0 / 190
Goodness-of-fit on F ²	1.002
Final R indices [I>2sigma(I)]	R1 = 0.0392, wR2 = 0.1264
R indices (all data)	R1 = 0.0503, wR2 = 0.1401
Largest diff. peak and hole	0.247 and -0.298 e.Å ⁻³

Table S1-2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for compound **3i**. U(eq) is defined as one third of the trace of the orthogonalized U^{ij} tensor

	x	y	z	U(eq)
Cl(1)	926(1)	3896(1)	11076(1)	68(1)
Cl(2)	3838(1)	8500(1)	10059(1)	77(1)
N(1)	3787(2)	1486(3)	7804(1)	72(1)
O(1)	3555(2)	206(2)	7834(1)	101(1)
O(2)	4384(2)	2063(3)	7261(1)	99(1)
O(3)	2123(2)	2466(2)	9717(1)	59(1)
C(1)	2472(2)	3877(2)	9748(1)	46(1)
C(2)	2016(2)	4681(2)	10384(1)	49(1)
C(3)	2417(2)	6100(2)	10479(1)	53(1)
C(4)	3287(2)	6722(2)	9928(1)	52(1)
C(5)	3760(2)	5964(2)	9295(1)	52(1)
C(6)	3345(2)	4533(2)	9198(1)	48(1)
C(7)	3828(2)	3672(2)	8547(1)	53(1)
C(8)	3309(2)	2355(2)	8455(1)	56(1)
C(9)	2221(2)	1662(2)	8979(1)	54(1)
C(10)	709(2)	1457(2)	8579(1)	52(1)
C(11)	117(2)	2409(2)	8011(1)	60(1)
C(12)	-1287(3)	2187(4)	7662(2)	81(1)
C(13)	-2113(3)	1043(4)	7884(2)	88(1)
C(14)	-1550(3)	96(4)	8441(2)	91(1)
C(15)	-139(3)	287(3)	8794(2)	70(1)

2. X-ray crystallographic data for compound 4f

Crystals of compound **4f** suitable for X-ray analysis were obtained by slow evaporation from the solvent of CH₂Cl₂. Crystallographic data have been deposited with the Cambridge Crystallographic Data Centre (CCDC# 920110). Copies of the data can be obtained free of charge on application to the CCDC, 12 Union Road, Cambridge CB21EZ, UK (fax: (+44)-1223-336-033; e-mail: deposit@ccdc.cam.ac.uk).




Table S2-1. Crystal data and structure refinement for compound **4f**


Identification code	compound 4f
Empirical formula	C ₁₈ H ₁₆ Cl N O ₄
Formula weight	345.77
Temperature	296(2) K
Wavelength	0.71073 Å
Crystal system	Orthorhombic
Space group	Pbca
Unit cell dimensions	a = 14.189(4) Å α = 90°. B = 12.900(3) Å β = 90°. C = 18.037(5) Å γ = 90°.
Volume	3301.5(15) Å ³
Z	8
Calculated density	1.391 Mg/m ³
Absorption coefficient	0.253 mm ⁻¹
F(000)	1440
Crystal size	0.36 x 0.27 x 0.14 mm
Theta range for data collection	2.41 to 25.10 deg.
Limiting indices	-12 ≤ h ≤ 16, -15 ≤ k ≤ 15, -21 ≤ l ≤ 21
Reflections collected	15655

Independent reflections	2940 [R(int) = 0.1246]
Completeness to theta = 25.10	99.9 %
Absorption correction	constr
Max. and min. transmission	0.9664 and 0.9135
Refinement method	Full-matrix least-squares on F ²
Data / restraints / parameters	2940 / 0 / 219
Goodness-of-fit on F ²	1.046
Final R indices [I>2sigma(I)]	R1 = 0.0601, wR2 = 0.1358
R indices (all data)	R1 = 0.1398, wR2 = 0.1761
Largest diff. peak and hole	0.260 and -0.255 e.Å ⁻³


Table S2-2. Atomic coordinates (x 10⁴) and equivalent isotropic displacement parameters (Å² x 10³) for compound **4f**. U(eq) is defined as one third of the trace of the orthogonalized U^{ij} tensor

	x	y	z	U(eq)
Cl(1)	11632(1)	9805(1)	4044(1)	93(1)
N(1)	6724(3)	11011(2)	3744(2)	70(1)
O(1)	7597(2)	8954(2)	4005(1)	66(1)
O(2)	7129(2)	11172(2)	4325(2)	95(1)
O(3)	5924(2)	11304(2)	3610(2)	100(1)
O(4)	7612(2)	12162(2)	2100(2)	80(1)
C(1)	8535(3)	9199(3)	4000(2)	57(1)
C(2)	9117(3)	8630(3)	4456(2)	65(1)
C(3)	10060(3)	8813(3)	4487(2)	67(1)
C(4)	10432(3)	9602(3)	4046(2)	64(1)
C(5)	9849(3)	10191(3)	3608(2)	62(1)
C(6)	8886(3)	10014(3)	3576(2)	53(1)
C(7)	8255(3)	10682(3)	3098(2)	55(1)
C(8)	7220(3)	10375(3)	3166(2)	56(1)
C(9)	7096(3)	9213(3)	3347(2)	59(1)
C(10)	6090(3)	8870(3)	3460(2)	59(1)
C(11)	5576(3)	8482(3)	2869(2)	69(1)
C(12)	4655(3)	8147(3)	2974(3)	80(1)
C(13)	4256(3)	8213(3)	3663(3)	87(1)
C(14)	4755(4)	8610(4)	4246(3)	86(1)
C(15)	5668(3)	8928(3)	4141(2)	75(1)
C(16)	8552(3)	10672(3)	2285(2)	62(1)
C(17)	8157(3)	11536(4)	1829(2)	66(1)
C(18)	8477(3)	11591(4)	1045(2)	92(2)





Group Number syd-zhang
 wpa-c-5 15,5mg/0.6ml syd-y13 2H-3
 204-1H CDCl3 1E:\2012\ 204NMR 27




NAME 120104-wpa-c-5
 EXPNO 1
 PROCNO 1
 Date_ 20120105
 Time 12.19
 INSTRUM spect
 PROBRD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 FIDRES 0.152588 Hz
 AQ 3.276901 sec
 RG 228.1
 DE 50.000 usec
 TE 298.1 K
 D1 1.00000000 sec
 TDO 1

CHANNEL f1
 NUC1 1H
 P1 13.00 usec
 PL1 0.00 dB
 PL1W 17.28177834 W
 SFO1 500.1345012 MHz
 SI 65536
 SF 500.129939 MHz
 WDW Dn
 SSB 0
 GB 0
 PC 2.00



Group Number syd-zhang
 wpa-c-4 20.0mg/0.6ml syd-v1j 2H-3
 204-1H CDCl3 1E:\2012\ 204NMR 26




NAME 120104-wpa-c-4
 EXPNO 1
 PROCNO 1
 Date_ 20120105
 Time 12.11
 INSTRUM spect
 PROBRD 5 mm RABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 16
 DS 2
 SM 10000.000 Hz
 FIDRES 0.152588 Hz
 AQ 3.2769001 sec
 RG 181
 DW 50.000 usec
 DE 8.00 usec
 TE 298.0 K
 D1 1.00000000 sec
 TDO 1

===== CHANNEL f1 =====
 NUC1 1H
 P1 13.00 usec
 PL1 0.00 dB
 PL1W 17.28177834 W
 SFO1 500.1345012 MHz
 SI 65536
 SF 500.129939 MHz
 KW EX
 NRG 0
 SSB 0
 GB 0
 LB 0
 PC 2.00




Group Number syd-zhang
wpa-c-5 15.9mg/0.6ml syd-y13 2H-3
204-1H CDCl3 (E:\2012) 204NMR 27



NAME 120104-wpa-c-5
EXPNO 1
PROCNO 1
Date_ 20120105
Time 12.19
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
FIDRES 0.152588 Hz
AQ 3.276901 sec
RG 228.1
DW 50.000 usec
DE 8.00 usec
TE 298.1 K
D1 1.00000000 sec
TD0 1

CHANNEL f1
NUC1 1H
P1 13.00 usec
PL1 0.00 dB
PL1W 17.28177834 W
SFO1 500.1345012 MHz
SI 65536
SF 500.1299939 MHz
RGW EX
SGB 0
GB 0.30 Hz
PC 2.00







NAME 120104-wpa-c-6
EXPNO 1
PROCNO 1
Date_ 20120105
Time 12.28
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
FIDRES 0.15258 Hz
AQ 3.2769001 sec
RG 362
DM 50.000 usec
DE 8.00 usec
TE 298.0 K
D1 1.00000000 sec
TD0 1


CHANNEL f1
NUC1 1H
P1 13.00 usec
PL1 0.00 dB
PL1W 17.28177834 W
SFO1 500.1345012 MHz
SI 65536
SF 500.129939 MHz
WDW EM
SSB 0
GB 0.30 Hz
PC 2.00



























NAME 20130128-wpa-4c
EXPNO 1
PROCNO 1
Date_ 20130128
Time 15.34
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zgpg30
TD 65536
SOLVENT Acetone
NS 574
DS 4
SWH 30303.031 Hz
FIDRES 0.462388 Hz
AQ 1.0814105 sec
RG 14596.5
DM 16.500 usec
DE 8.00 usec
TE 298.2 K
D1 2.00000000 sec
D11 0.03000000 sec
TDO 1

CHANNEL #1
NUC1 13C
P1 9.00 usec
PL1 2.00 dB
PLW 64.82212630 W
SFO1 125.7716224 MHz

CHANNEL #2
CPDPRG2 waltz16
NUC2 1H
PCPDZ 80.00 usec
PL2 0.00 dB
PL12 15.80 dB
PL13 15.80 dB
PL14 17.2817934 W
PL15 17.2817934 W
PL16 0.4545206 W
PL17 0.4545206 W
SFO2 500.1320005 MHz
SI 32768
SF 125.7576800 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 2.00







NAME 20130128-wpa-4d
EXPNO 1
PROCNO 1
F2 20130128
Time 16.02
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
SOLVENT Acetone
DS 2
SS 12
SWH 10000.000 Hz
FIDRES 0.152288 Hz
AQ 3.279001 sec
RG 128
DC 50.000 usec
TE 298.2 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 1H
P1 13.00 usec
PL1 0.00 dB
PLW 17.28177834 W
SFO1 500.1345012 MHz
SI 65536
SF 500.130122 MHz
WDW DN
GB 0
PC 2.00










NAME 20130128-wpa-4e
EXPNO 1
PROCNO 1
Date_ 20130128
Time 17.08
INSTRUM spect
PROBHD 5 mm PABBO BBO
PULPROG zgpg30
TD 65536
SOLVENT Acetone
NS 16
DS 2
SWH 10000.000 Hz
FIDRES 0.152588 Hz
AQ 3.2169501 sec
RG 320
AC 50.100 usec
PC 1.0000000 sec
TE 298.2 K
D1 1.00000000 sec
TD0 1


===== CHANNEL f1 =====
NUC1 1H
P1 13.00 usec
PL1 0.00 dB
PL1W 17.28177834 W
SFO1 500.1345012 MHz
SI 65536
SF 500.1300120 MHz
WDW EN
SSB 0
LB 0.30 Hz
GB 0
PC 2.00














NAME 20130128-wpa-4g
EXPNO 1
PROCNO 1
Date_ 20130128
Time 19.27
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zgpg30
TD 65536
F2 512
SOLVENT Acetone
NS 4
DS 4
SWH 30303.031 Hz
FIDRES 0.462388 Hz
AQ 1.0814105 sec
RG 14596.5
CW 16.500 usec
DE 8.00 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TDO 1

===== CHANNEL f1 13C =====
NUC1 13C 9.40 usec
P1 2.00 dB
PL1 64.8212830 W
SFO1 125.7716224 MHz

===== CHANNEL f2 13C =====
CPDPRG2 waltz16
NUC2 13C 80.00 usec
PCPD2 0.00 dB
PL2 15.80 dB
PL12 15.80 dB
PL13 15.80 dB
PL14 17.28177834 W
PL15 0.45455706 W
PL16 0.45455706 W
SFO2 500.1320005 MHz
SI 32768
SF 125.756773 MHz
WDW EX
SSB EX
GB 1.00 Hz
PC 2.00



