

Supplementary Material

An efficient synthesis of 3-diethoxyphosphoryl-4-(1*H*-indol-3-yl)-3,4-dihydrocoumarins: a convenient approach to 3-methylene-4-(indol-3-yl)-3,4-dihydrocoumarins

Dariusz Deredas,* Henryk Krawczyk, and Krzysztof Huben

Institute of Organic Chemistry, Lodz University of Technology, Żeromskiego 116, 90-924 Łódź, Poland

Email: dariusz.deredas@p.lodz.pl


Table of contents


1. IR spectra	S3
2. ¹ H NMR spectra	S27
3. ¹³ C NMR spectra	S51


Experimental


General. NMR spectra were recorded on a Bruker Avance II Plus spectrometer at 700.0 MHz (^1H), 283.3 MHz (^{31}P) and 176.0 MHz (^{13}C) respectively. Measurements were carried out in deuteriochloroform and acetone- d_6 (99.96% d, Aldrich) or acetone- d_6 at 25°C. Chemical shifts were calibrated relative to residual solvent peak (^1H NMR $\delta_{\text{CHCl}_3} = 7.26$ ppm, $\delta_{\text{acetone-}\text{d}_5} = 2.05$ ppm, ^{13}C NMR $\delta_{\text{CDCl}_3} = 77.16$ ppm and $\delta_{\text{CH}_3 \text{ acetone-}\text{d}_6} = 29.84$ ppm) and 85% H_3PO_4 (^{31}P NMR). Chemical shifts are reported in ppm (δ), J values are given in Hz. IR spectra were measured on Bruker Alpha FT-IR ATR spectrometer. Elemental analyses were performed on Perkin-Elmer PE 2400 analyser. Melting points were determined in open capillaries on Büchi SMP 30 apparatus and were uncorrected. Flash chromatography was carried out using silica gel 60 (230-400 mesh). Thin layer chromatography was carried out on commercially available pre-coated plates (Fluka Silica gel on TLC plates).


IR spectra


Diethyl ((3*R**,4*S**)-4-(1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3a)


Diethyl ((3*R**,4*S**)-4-(1*H*-indol-3-yl)-8-methoxy-2-oxochroman-3-yl)phosphonate (3b)


Diethyl ((3*R**,4*S**)-6-chloro-4-(1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3c)


Diethyl ((3*R**,4*S**)-4-(5-methoxy-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3d)


Diethyl ((3*R**,4*S**)-8-methoxy-4-(5-methoxy-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3e)


Diethyl ((3*R**,4*S**)-6-chloro-4-(5-methoxy-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3f)


Diethyl ((3*R**,4*S**)-4-(5-nitro-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3g)


Diethyl ((3*R**,4*S**)-8-methoxy-4-(5-nitro-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3h)


Diethyl ((3*R**,4*S**)-6-chloro-4-(5-nitro-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3i)


Diethyl ((3*R**,4*S**)-4-(5-cyano-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3j)


Diethyl ((3*R**,4*S**)-4-(5-cyano-1*H*-indol-3-yl)-8-methoxy-2-oxochroman-3-yl)phosphonate (3k)


Diethyl ((3*R**,4*S**)-6-chloro-4-(5-cyano-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3l)


4-(1*H*-Indol-3-yl)-3-methylenechroman-2-one (4a)

4-(1*H*-Indol-3-yl)-8-methoxy-3-methylenechroman-2-one (4b)


6-Chloro-4-(1*H*-indol-3-yl)-3-methylenechroman-2-one (4c)


4-(5-Methoxy-1*H*-indol-3-yl)-3-methylenechroman-2-one (4d)


8-Methoxy-4-(5-methoxy-1*H*-indol-3-yl)-3-methylenechroman-2-one (4e)


6-Chloro-4-(5-methoxy-1*H*-indol-3-yl)-3-methylenechroman-2-one (4f)


Diethyl (8-hydroxy-2-oxo-2H-chromen-3-yl)phosphonate (7)




Diethyl (8-((*tert*-butyldimethylsilyl)oxy)-2-oxo-2*H*-chromen-3-yl)phosphonate (8)


Diethyl ((3*R**,4*S**)-8-((*tert*-butyldimethylsilyl)oxy)-4-(1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (9)


8-((*tert*-Butyldimethylsilyl)oxy)-4-(1*H*-indol-3-yl)-3-methylenechroman-2-one (10)


8-Hydroxy-4-(1*H*-indol-3-yl)-3-methyl-2*H*-chromen-2-one (11)

^1H NMR spectra


Diethyl ((3*R**,4*S**)-4-(1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3a)


Diethyl ((3*R**,4*S**)-4-(1*H*-indol-3-yl)-8-methoxy-2-oxochroman-3-yl)phosphonate (3b)


Diethyl ((3*R**,4*S**)-6-chloro-4-(1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3c)


Diethyl ((3*R**,4*S**)-4-(5-methoxy-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3d)


Inc


Diethyl ((3*R**,4*S**)-8-methoxy-4-(5-methoxy-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3e)


Diethyl ((3*R**,4*S**)-6-chloro-4-(5-methoxy-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3f)


Diethyl ((3*R**,4*S**)-4-(5-nitro-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3g)


Diethyl ((3*R**,4*S**)-8-methoxy-4-(5-nitro-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3h)


Diethyl ((3*R**,4*S**)-6-chloro-4-(5-nitro-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3i)



Diethyl ((3*R**,4*S**)-4-(5-cyano-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3j)


Diethyl ((3*R**,4*S**)-4-(5-cyano-1*H*-indol-3-yl)-8-methoxy-2-oxochroman-3-yl)phosphonate (3k)


Diethyl ((3*R**,4*S**)-6-chloro-4-(5-cyano-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3l)


4-(1*H*-Indol-3-yl)-3-methylenechroman-2-one (4a)

4-(1*H*-Indol-3-yl)-8-methoxy-3-methylenechroman-2-one (4b)


6-Chloro-4-(1*H*-indol-3-yl)-3-methylenechroman-2-one (4c)


4-(5-Methoxy-1*H*-indol-3-yl)-3-methylenechroman-2-one (4d)


8-Methoxy-4-(5-methoxy-1H-indol-3-yl)-3-methylenechroman-2-one (4e)

6-Chloro-4-(5-methoxy-1*H*-indol-3-yl)-3-methylenechroman-2-one (4f)


Diethyl (8-hydroxy-2-oxo-2H-chromen-3-yl)phosphonate (7)




Diethyl (8-((*tert*-butyldimethylsilyl)oxy)-2-oxo-2*H*-chromen-3-yl)phosphonate (8)


Diethyl ((3*R**,4*S**)-8-((*tert*-butyldimethylsilyl)oxy)-4-(1*H*-indol-3-yl)-2-oxochroman-3-yl)-phosphonate (9)


Inc


8-((*tert*-Butyldimethylsilyl)oxy)-4-(1*H*-indol-3-yl)-3-methylenechroman-2-one (10)


8-Hydroxy-4-(1*H*-indol-3-yl)-3-methyl-2*H*-chromen-2-one (11)


^{13}C NMR spectra


Diethyl ((3*R**,4*S**)-4-(1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3a)


Diethyl ((3*R**,4*S**)-4-(1*H*-indol-3-yl)-8-methoxy-2-oxochroman-3-yl)phosphonate (3b)


Diethyl ((3*R**,4*S**)-6-chloro-4-(1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3c)


Diethyl ((3*R**,4*S**)-4-(5-methoxy-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3d)


Diethyl ((3*R**,4*S**)-8-methoxy-4-(5-methoxy-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3e)


Diethyl ((3*R**,4*S**)-6-chloro-4-(5-methoxy-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3f)


Diethyl ((3*R**,4*S**)-4-(5-nitro-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3g)


Diethyl ((3*R**,4*S**)-8-methoxy-4-(5-nitro-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3h)


Diethyl ((3*R**,4*S**)-6-chloro-4-(5-nitro-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3i)


Diethyl ((3*R**,4*S**)-4-(5-cyano-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3j)


Diethyl ((3*R**,4*S**)-4-(5-cyano-1*H*-indol-3-yl)-8-methoxy-2-oxochroman-3-yl)phosphonate (3k)


Diethyl ((3*R**,4*S**)-6-chloro-4-(5-cyano-1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (3l)


4-(1*H*-Indol-3-yl)-3-methylenechroman-2-one (4a)

4-(1*H*-Indol-3-yl)-8-methoxy-3-methylenechroman-2-one (4b)


6-Chloro-4-(1*H*-indol-3-yl)-3-methylenechroman-2-one (4c)


4-(5-Methoxy-1*H*-indol-3-yl)-3-methylenechroman-2-one (4d)


8-Methoxy-4-(5-methoxy-1H-indol-3-yl)-3-methylenechroman-2-one (4e)


6-Chloro-4-(5-methoxy-1*H*-indol-3-yl)-3-methylenechroman-2-one (4f)

Diethyl (8-hydroxy-2-oxo-2H-chromen-3-yl)phosphonate (7)



Diethyl (8-((*tert*-butyldimethylsilyl)oxy)-2-oxo-2*H*-chromen-3-yl)phosphonate (8)

Diethyl ((3*R**,4*S**)-8-((*tert*-butyldimethylsilyl)oxy)-4-(1*H*-indol-3-yl)-2-oxochroman-3-yl)phosphonate (9)

8-((*tert*-Butyldimethylsilyl)oxy)-4-(1*H*-indol-3-yl)-3-methylenechroman-2-one (10)

8-Hydroxy-4-(1*H*-indol-3-yl)-3-methyl-2*H*-chromen-2-one (11)