# Supplementary Material

# Temperature-controlled synthesis of N-acyl anthranilamides and quinazoline-4-ones via Pd-catalysed cascade consisting of isocyanide insertion

**Irfan Khan,[a] Jaybir Singh,[b] Imran Khan,[c] Sunil Dutt,[c] Shahnawaz Khan,*[d] and Vikas Tyagi*[c]**

[a]*Coordination Chemistry Laboratory, Department of Chemistry, Mohan Lal Sukhadia University, Udaipur, Rajasthan, India*
[b]*Department of Pharmacy, Dr. B. R. Ambedkar University, Agra-282002, India*
[c]*School of Chemistry and Biochemistry, Thapar Institute of Engineering and Technology, Patiala-147004, Punjab, India*
[d]*Department of Chemistry, Bhupal Nobles University, Udaipur, Rajasthan, India*
*Email*: *vikas.tyagi@thapar.edu* *vtyagi1985@gmail.com*

## Table of Contents



 

$^1$H NMR and $^{13}$C NMR Spectra of **3a**






$^1$H NMR and $^{13}$C NMR Spectra of **3b**







 

$^{1}H$ NMR and $^{13}C$ NMR Spectra of **3c**






$^{1}H$ NMR and $^{13}C$ NMR Spectra of **3d**






$^{1}H$ NMR and $^{13}C$ NMR Spectra of **3e**





$^{1}H$ NMR and $^{13}C$ NMR Spectra of **3f**






$^1$H NMR and $^{13}$C NMR Spectra of **3g**






$^{1}$H NMR and $^{13}$C NMR Spectra of **3h**






$^{1}H$ NMR and $^{13}C$ NMR Spectra of **3i**







 

$^{1}H$ NMR and $^{13}C$ NMR Spectra of **3j**







 

$^{1}$H NMR and $^{13}$C NMR Spectra of **3k**





$^{1}H$ NMR and $^{13}C$ NMR Spectra of **4a**





$^{1}$H NMR and $^{13}$C NMR Spectra of **4b**






$^{1}H$ NMR and $^{13}C$ NMR Spectra of **4c**







 

$^{1}$H NMR and $^{13}$C NMR Spectra of **4d**






$^1$H NMR and $^{13}$C NMR Spectra of **4e**






$^{1}H$ NMR and $^{13}C$ NMR Spectra of **4f**







 

$^1$H NMR and $^{13}$C NMR Spectra of **4g**






$^{1}H$ NMR and $^{13}C$ NMR Spectra of **4h**






$^{1}$H NMR and $^{13}$C NMR Spectra of **4i**