

Supplementary Material

Synthesis of quinazolindionyl amino acid and dipeptide derivatives as possible antitumour agents

A. Aboelmagd,^{*a} Ezzeldin M. S. Salem,^a Ibrahim A. I. Ali,^a and Mohamed S. Goma^{ab}



^aDepartment of Chemistry, Faculty of Science, Suez Canal University, Ismailia, 41522, Egypt


^bDepartment of Pharmaceutical Chemistry, College of Clinical Pharmacy, Imam Abdulrahman Bin Faisal University, Dammam, KSA

Email: ahmedaelmagd@gmail.com


Table of Contents

- | | |
|--|----|
| 1. ¹ H and ¹³ C NMR spectra of the new compounds | S2 |
|--|----|


[1] ^1H and ^{13}C NMR spectra of the new compounds ^1H NMR (300 MHz, CDCl_3) of compound 2 ^{13}C NMR (75 MHz, CDCl_3) of compound 2




¹H NMR (300 MHz, DMSO) of compound 3




¹³C NMR (75 MHz, DMSO) of compound 3




¹H NMR (300 MHz, DMSO) of compound 4a





¹³C NMR (75 MHz, DMSO) of compound 4a






¹H NMR (300 MHz, DMSO) of compound 4b




¹³C NMR (75 MHz, DMSO) of compound 4b









¹H NMR (300 MHz, CDCl₃) of compound 5




¹³C NMR (75 MHz, CDCl₃) of compound 5




¹H NMR (300 MHz, DMSO) of compound 6




¹³C NMR (75 MHz, DMSO) of compound 6




¹H NMR (300 MHz, DMSO) of compound 7a




¹³C NMR (75 MHz, DMSO) of compound 7a




¹H NMR (300 MHz, DMSO) of compound 7b




¹³C NMR (75 MHz, DMSO) of compound 7b




¹H NMR (300 MHz, CDCl₃) of compound 7c




¹³C NMR (75 MHz, CDCl₃) of compound 7c




¹H NMR (300 MHz, DMSO) of compound 7d





¹³C NMR (75 MHz, DMSO) of compound 7d




¹H NMR (300 MHz, DMSO) of compound 7e




¹³C NMR (75 MHz, DMSO) of compound 7e








¹H NMR (300 MHz, DMSO) of compound 8b




¹³C NMR (75 MHz, DMSO) of compound 8b








¹H NMR (300 MHz, DMSO) of compound 8d




¹³C NMR (75 MHz, DMSO) of compound 8d







¹H NMR (300 MHz, DMSO) compound 9b




¹³C NMR (75 MHz, DMSO) of compound 9b




¹H NMR (300 MHz, DMSO) of compound 10a




¹³C NMR (75 MHz, DMSO) of compound 10a




¹H NMR (300 MHz, DMSO) of compound 10b




¹³C NMR (75 MHz, DMSO) of compound 10b




¹H NMR (300 MHz, DMSO) of compound 10c




¹³C NMR (75 MHz, DMSO) of compound 10c




¹H NMR (300 MHz, DMSO) of compound 10d




¹³C NMR (75 MHz, DMSO) of compound 10d




¹H NMR (300 MHz, CDCl₃) of compound 11a




¹³C NMR (75 MHz, CDCl₃) of compound 11a




¹H NMR (300 MHz, CDCl₃) of compound 11b



¹³C NMR (75 MHz, CDCl₃) of compound 11b



¹H NMR (300 MHz, DMSO) of compound 11c



¹³C NMR (75 MHz, DMSO) of compound 11c