

## Supplementary Material

### Polybromination of naphthalene using bromine over a montmorillonite clay and regioselective synthesis of 2,6-dibromonaphthalene


Keith Smith,<sup>a,\*</sup> Alaa K. H. Al-Khalaf,<sup>b</sup> Kiyomet Berkil Akar,<sup>c</sup> Benson M. Kariuki,<sup>a</sup> and Gamal A. El-Hiti<sup>d,\*</sup>

<sup>a</sup>School of Chemistry, Cardiff University, Main Building, Park Place, Cardiff CF10 3AT, UK. <sup>b</sup>Environment Department, College of Environmental Sciences, Al-Qasim Green University, Babylon Province, Hilla City, Al-Qasim Town 51013, Iraq. <sup>c</sup>Department of Bioengineering, Faculty of Engineering and Architecture, Tokat Gaziosmanpasa University, TR-60150 Tokat, Turkey. <sup>d</sup>Department of Optometry, College of Applied Medical Sciences, King Saud University, Riyadh 11433, Saudi Arabia.


Email: [smithk13@cardiff.ac.uk](mailto:smithk13@cardiff.ac.uk); [gelhiti@ksu.edu.sa](mailto:gelhiti@ksu.edu.sa)

#### Table of Contents


<sup>1</sup> H NMR spectrum of 6.....	S2
<sup>1</sup> H NMR spectrum of 7.....	S3
<sup>13</sup> C NMR spectrum of 7 .....	S4
<sup>1</sup> H NMR spectrum of 8.....	S5
<sup>1</sup> H NMR spectrum of 9.....	S6




**Figure S1.**  $^1\text{H}$  NMR spectrum of **6**.




**Figure S2.**  $^1\text{H}$  NMR spectrum of **7**.



**Figure S3.**  $^{13}\text{C}$  NMR spectrum of **7**.



**Figure S4.** <sup>1</sup>H NMR spectrum of **8**.



**Figure S5.** <sup>1</sup>H NMR spectrum of **9**.