

Supplementary Material

Mandelic acid catalyzed one-pot pseudo three-component synthesis of various trisubstituted methane derivatives at room temperature

Bubun Banerjee^{1,4*}, Arvind Singh¹, Aditi Sharma¹, Anu Priya¹, Manmeet Kaur¹, Gurpreet Kaur¹, Vivek Kumar Gupta,² and Vikas Jaitak³

¹Assistant Professor, Department of Chemistry, Akal University, Talwandi Sabo, Bathinda, Punjab-151302, India

²Post-Graduate Department of Physics, University of Jammu, Jammu Tawi - 180 006, India

³Department of Pharmaceutical Sciences and Natural Products School of Health Sciences, Central University of Punjab, Bathinda, Punjab - 151401, India

⁴Visiting Researcher, Eternal University, Baru Sahib, Himachal Pradesh - 173101, India
Email: banerjeebubun@gmail.com

Table of Contents

¹ H-NMR, ¹³ C-NMR and HRMS spectra of all the synthesized scaffolds	S2
---	----

Characterization data with scanned spectra of all the synthesized compounds:





Figure S1. ^1H NMR spectrum of compound **3a**.






Figure S3. HRMS spectrum of compound **3a**.




Figure S4. ^1H NMR spectrum of compound **3b**.




Figure S5. ^{13}C NMR spectrum of compound **3b**.

Display Report

Analysis Info

Analysis Name D:\Data\User Data\External Samples\Bubun\BB-S5-5-.d
Method Tune_pos_Mid.m
Sample Name MEOH
Comment

Acquisition Date 9/15/2020 2:31:47 PM


Operator HRMS
Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type ESI
Focus Active
Scan Begin 50 m/z
Scan End 3000 m/z

Ion Polarity Positive
Set Capillary 3500 V
Set End Plate Offset -500 V
Set Charging Voltage 2000 V
Set Corona 0 nA

Set Nebulizer 0.3 Bar
Set Dry Heater 200 °C
Set Dry Gas 4.0 l/min
Set Divert Valve Source
Set APCI Heater 0 °C



BB-S5-5-.d

Bruker Compass DataAnalysis 4.1

printed: 9/15/2020 2:33:30 PM

by: HRMS

Page 1 of 1

Figure S6. HRMS spectrum of compound **3b**.




Figure S7. ^1H NMR spectrum of compound **3c**.




Figure S8. ^{13}C NMR spectrum of compound **3c**.

Display Report

Analysis Info


Analysis Name D:\Data\User Data\External Samples\Bubun\BB-S5-6.d
Method Tune_pos_Mid.m
Sample Name MEOH
Comment

Acquisition Date 9/15/2020 11:36:28 AM

Operator HRMS
Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-S5-6.d

Bruker Compass DataAnalysis 4.1

printed: 9/15/2020 11:38:57 AM

by: HRMS

Page 1 of 1

Figure S9. HRMS spectrum of compound **3c**.




Figure S10. ^1H NMR spectrum of compound **3d**.




Figure S11. ¹³C NMR spectrum of compound **3d**.

Display Report


Analysis Info

Analysis Name D:\Data\User Data\External Samples\Bubun\BB-S5-7.d
Method Tune_pos_Mid.m
Sample Name MEOH
Comment

Acquisition Date 9/16/2020 2:27:35 PM
Operator HRMS
Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-S5-7.d

Bruker Compass DataAnalysis 4.1

printed: 9/16/2020 2:28:55 PM

by: HRMS

Page 1 of 1

Figure S12. HRMS spectrum of compound **3d**.




Figure S13. ¹H NMR spectrum of compound **3e**.




Figure S14. ^{13}C NMR spectrum of compound **3e**.

Display Report

Analysis Info


Analysis Name D:\Data\User Data\External Samples\Bubun\BB-S5-8.d
Method Tune_pos_Mid.m
Sample Name MEOH
Comment

Acquisition Date 9/15/2020 2:16:21 PM

Operator HRMS
Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-S5-8.d

Bruker Compass DataAnalysis 4.1

printed: 9/15/2020 2:23:37 PM

by: HRMS

Page 1 of 1

Figure S15. HRMS spectrum of compound 3e.




Figure S16. ^1H NMR spectrum of compound **3f**.




Figure S17. ^{13}C NMR spectrum of compound **3f**.

Display Report

Analysis Info


Analysis Name D:\Data\User Data\External Samples\Bubun\BB-S5-1.d
Method Tune_pos_Mid.m
Sample Name MEOH
Comment

Acquisition Date 9/16/2020 2:32:17 PM

Operator HRMS
Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-S5-1.d

Bruker Compass DataAnalysis 4.1

printed: 9/16/2020 2:33:51 PM

by: HRMS

Page 1 of 1

Figure S18. HRMS spectrum of compound 3f.




Figure S19. ^1H NMR spectrum of compound **3g**.




Figure S20. ^{13}C NMR spectrum of compound **3g**.

Display Report


Analysis Info

Analysis Name D:\Data\User Data\External Samples\Bubun\BB-S5-2.d
Method Tune_pos_Mid.m
Sample Name MEOH
Comment

Acquisition Date 9/15/2020 11:44:40 AM
Operator HRMS
Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-S5-2.d

Bruker Compass DataAnalysis 4.1

printed: 9/15/2020 11:47:22 AM

by: HRMS

Page 1 of 1

Figure S21. HRMS spectrum of compound **3g**.




Figure S22. ^1H NMR spectra of compound **5a**.




Figure S23. ¹³C NMR spectra of compound 5a.


Display Report

Analysis Info

Analysis Name D:\Data\User Data\External Samples\Bubun\BB-AD-S3-1-NEG.d Acquisition Date 4/8/2022 1:21:20 PM
Method Tune_neg_Standard.m Operator HRMS
Sample Name Instrument maXis impact 1819696.00160
Comment

Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	4000 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-AD-S3-1-NEG.d

Bruker Compass DataAnalysis 4.1

printed: 4/8/2022 5:25:38 PM

by: HRMS

Page 1 of 1

Figure S24. HRMS spectra of compound 5a.




Figure S25. ^1H NMR spectra of compound **5b**.




Figure S26. ^{13}C NMR spectra of compound **5b**.

Display Report


Analysis Info

Analysis Name D:\Data\User Data\External Samples\Bubun\BB-MK-S1-1.d
Method Tune_pos_Mid.m
Sample Name
Comment

Acquisition Date 4/8/2022 11:24:25 AM
Operator HRMS
Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-MK-S1-1.d

Bruker Compass DataAnalysis 4.1

printed: 4/8/2022 12:26:09 PM

by: HRMS

Page 1 of 1

Figure S27. HRMS spectra of compound **5b**.




Figure S28. ^1H NMR spectra of compound **5c**.




Figure S29. ¹³C NMR spectra of compound 5c.

Display Report

Analysis Info

Analysis Name D:\Data\User Data\External Samples\Bubun\BB-AP-S6-4-NEG-.d
Method Tune_neg_Standard.m
Sample Name
Comment


Acquisition Date 7/29/2022 3:26:05 PM

Operator HRMS

Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	4000 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-AP-S6-4-NEG-.d

Bruker Compass DataAnalysis 4.1

printed: 7/29/2022 3:27:34 PM

by: HRMS

Page 1 of 1

Figure S30. HRMS spectra of compound 5c.




Figure S31. ^1H NMR spectra of compound **5d**.




Figure S32. ¹³C NMR spectra of compound 5d.

Display Report

Analysis Info

Analysis Name D:\Data\User Data\External Samples\Bubun\BB-AP-S6-6-NEG-.d
Method Tune_neg_Mid.m
Sample Name
Comment


Acquisition Date 7/29/2022 3:21:57 PM

Operator HRMS

Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type	ESI	Ion Polarity	Negative	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-AP-S6-6-NEG-.d

Bruker Compass DataAnalysis 4.1

printed: 7/29/2022 3:23:17 PM

by: HRMS

Page 1 of 1

Figure S33. HRMS spectra of compound **5d**.





Figure S34. ¹H NMR spectra of compound **5e**.




Figure S35. ^{13}C NMR spectra of compound **5e**.

Display Report


Analysis Info

Analysis Name D:\Data\User Data\Lalit\BB-MK-S1-2-.d
Method Tune_pos_Mid.m
Sample Name
Comment

Acquisition Date 4/8/2022 10:48:18 AM
Operator HRMS
Instrument maXis impact 1819696.00160

Acquisition Parameter

Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.3 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	200 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	3000 m/z	Set Charging Voltage	2000 V	Set Divert Valve	Source
		Set Corona	0 nA	Set APCI Heater	0 °C



BB-MK-S1-2-.d

Bruker Compass DataAnalysis 4.1

printed: 4/8/2022 12:27:14 PM

by: HRMS

Page 1 of 1

Figure S36. HRMS spectra of compound **5e**.