

Supplementary Material

Synthesis of a novel series of 1,2-dihydroquinoline-8-glyoxylamide derivatives

Nadezhda P. Novichikhina, Zeynab E. Ashrafova, Irina V. Ledenyova,
Alexander S. Shestakov, and Khidmet S. Shikhaliev*

Voronezh State University, Universitetskaya Pl. 1, Voronezh, 394018, Russia

E-mail: shikh1961@yandex.ru

Table of Contents

¹ H, ¹³ C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of N-methyl-2-oxo-2-(2,2,4-trimethyl-1,2-dihydroquinolin-8-yl)acetamide (3a)	S2
¹ H, ¹³ C NMR spectra and data HPLC-HRMS-ESI spectrum of N-methyl-2-oxo-2-(2,2,4,6-tetramethyl-1,2-dihydroquinolin-8-yl)acetamide (3b).....	S4
¹ H, ¹³ C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-(piperidin-1-yl)-2-(2,2,4-trimethyl-1,2-dihydroquinolin-8-yl)ethane-1,2-dione (4a)	S6
¹ H, ¹³ C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-(piperidin-1-yl)-2-(2,2,4,6-tetramethyl-1,2-dihydroquinolin-8-yl)ethane-1,2-dione (4b).....	S8
¹ H, ¹³ C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-(6-methoxy-2,2,4-trimethyl-1,2-dihydroquinolin-8-yl)-2-(piperidin-1-yl)ethane-1,2-dione (4c)	S10
¹ H, ¹³ C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-morpholino-2-(2,2,4,6-tetramethyl-1,2-dihydroquinolin-8-yl)ethane-1,2-dione (5).....	S12
¹ H, ¹³ C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-(4-methylpiperazin-1-yl)-2-(2,2,4-trimethyl-1,2-dihydroquinolin-8-yl)ethane-1,2-dione (6)	S14

¹H, ¹³C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of N-methyl-2-oxo-2-(2,2,4-trimethyl-1,2-dihydroquinolin-8-yl)acetamide (3a)



Figure 1 ¹H NMR (500 MHz, DMSO-d₆, ppm) spectrum of compound 3a.






Figure 2 ¹³C NMR (125 MHz, DMSO-d₆, ppm) spectrum of compound 3a.

**Figure 3** IR-spectrum (KBr, cm^{-1}) of compound 3a.**Figure 4.** HPLC-HRMS-ESI spectrum of compound 3a

¹H and ¹³C NMR spectra and data HPLC-HRMS-ESI spectrum of N-methyl-2-oxo-2-(2,2,4,6-tetramethyl-1,2-dihydroquinolin-8-yl)acetamide (3b)




Figure 5 ^1H NMR (500 MHz, DMSO- d_6 , ppm) spectrum of compound **3b**.




Figure 6 ^{13}C NMR (125 MHz, DMSO- d_6 , ppm) spectrum of compound **3b**.




Figure 7 HPLC-HRMS-ESI spectrum of compound **3b**

¹H, ¹³C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-(piperidin-1-yl)-2-(2,2,4-trimethyl-1,2-dihydroquinolin-8-yl)ethane-1,2-dione (4a)




Figure 8 ^1H NMR (500 MHz, DMSO- d_6 , ppm) spectrum of compound **4a**.






Figure 9 ^{13}C NMR (125 MHz, DMSO- d_6 , ppm) spectrum of compound **4a**.

**Figure 10** IR-spectrum (KBr, cm^{-1}) of compound **4a**.**Figure 11** HPLC-HRMS-ESI spectrum of compound **4a**

¹H, ¹³C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-(piperidin-1-yl)-2-(2,2,4,6-tetramethyl-1,2-dihydroquinolin-8-yl)ethane-1,2-dione (4b)




Figure 12 ^1H NMR (500 MHz, DMSO- d_6 , ppm) spectrum of compound **4b**.






Figure 13 ^{13}C NMR (125 MHz, DMSO- d_6 , ppm) spectrum of compound **4b**.

**Figure 14** IR-spectrum (KBr, cm^{-1}) of compound 4b.**Figure 15** HPLC-HRMS-ESI spectrum of compound 4b

¹H, ¹³C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-(6-methoxy-2,2,4-trimethyl-1,2-dihydroquinolin-8-yl)-2-(piperidin-1-yl)ethane-1,2-dione (4c)



Figure 16 ¹H NMR (500 MHz, DMSO-d₆, ppm) spectrum of compound 4c.






Figure 17 ¹³C NMR (125 MHz, DMSO-d₆, ppm) spectrum of compound 4c.

**Figure 18** IR-spectrum (KBr, cm^{-1}) of compound **4c**.**Figure 19.** HPLC-HRMS-ESI spectrum of compound **4c**.

¹H, ¹³C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-morpholino-2-(2,2,4,6-tetramethyl-1,2-dihydroquinolin-8-yl)ethane-1,2-dione (5)




Figure 20 ^1H NMR (400 MHz, DMSO- d_6 , ppm) spectrum of compound 5.






Figure 21 ^{13}C NMR (101 MHz, DMSO- d_6 , ppm) spectrum of compound 5.

**Figure 22** IR-spectrum (KBr, cm^{-1}) of compound 5.**Figure 23.** HPLC-HRMS-ESI spectrum of compound 5

¹H, ¹³C NMR, IR spectra and data HPLC-HRMS-ESI spectrum of 1-(4-methylpiperazin-1-yl)-2-(2,2,4-trimethyl-1,2-dihydroquinolin-8-yl)ethane-1,2-dione (6)




Figure 24 ^1H NMR (400 MHz, DMSO- d_6 , ppm) spectrum of compound 6.






Figure 25 ^{13}C NMR (125 MHz, DMSO- d_6 , ppm) spectrum of compound 6.

**Figure 26** IR-spectrum (KBr, cm^{-1}) of compound 6**Figure 27** HPLC-HRMS-ESI spectrum of compound 6