

Supplementary Material

Friedel-Crafts chemistry. Part 60.

Concise constructions of bridged polycycles of indanes, pyrido[3,2,1-jk]carbazoles and pyrido[3,2,1-kl]phenothiazines via Friedel-Crafts ring closures

Ali A. Khalaf, Aboel Magd A. Abdel Wahab, Hassan A. K. Abd El-Aal,* and Yousra M. Nabil

Chemistry Department, Faculty of Science, Assiut University, Assiut, 71516, Egypt

E-mails: hassankotb33@yahoo.com; hassankotb@aun.edu.eg

Table of Contents

¹ H NMR Spectra of compounds 2a-d and 6a,b and some Me-analogs	S2
IR, ¹ H NMR, ¹³ C NMR and Mass Spectra copies of compounds 3a and 4a	S8
IR, ¹ H NMR, ¹³ C NMR and Mass Spectra copies of compounds 3b and 4b	S11
IR, ¹ H NMR, ¹³ C NMR and Mass Spectra copies of compounds 3c and 4c	S14
IR, ¹ H NMR, ¹³ C NMR and Mass Spectra copies of compounds 3d and 4d	S18
IR, ¹ H NMR, ¹³ C NMR and Mass Spectra copies of compounds 7a and 8a	S20
IR, ¹ H NMR, ¹³ C NMR, Dept and Mass Spectra copies of compounds 7b and 8b	S24
IR, ¹ H NMR, ¹³ C NMR, Dept and Mass Spectra copies of compounds 7c and 8c	S28



























































